

	Application No.	Applicant(s)
Notice of Allowability	10/626,858 Examiner	HSU ET AL.
Notice of Allowability	Examiner	Art Unit
	Suchin Parihar	2825
The MAILING DATE of this communication appeal claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOF the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this app or other appropriate communication IGHTS. This application is subject to	olication. If not included will be mailed in due course. THIS
1. 🛮 This communication is responsive to telephone conversation	on with Michael E. Fogarty (Reg.#36,	. <u>139) on 12/13/2006</u> .
2. X The allowed claim(s) is/are 1-3, 5-11, 13-19, 21-27 and 29	<u>-30</u> .	•
3.	been received. been received in Application No cuments have been received in this r of this communication to file a reply of this application.	complying with the requirements S AMENDMENT or NOTICE OF
INFORMAL PATENT APPLICATION (PTO-152) which give	es reason(s) why the oath or declarat	ion is deficient.
5. CORRECTED DRAWINGS (as "replacement sheets") mus	t be submitted.	ŕ
(a) 🔲 including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) including changes required by the attached Examiner's Paper No./Mail Date	s Amendment / Comment or in the O	ffice action of
Identifying indicia such as the application number (see 37 CFR 1, each sheet. Replacement sheet(s) should be labeled as such in the	84(c)) should be written on the drawin ne header according to 37 CFR 1.121(d	gs in the front (not the back) of).
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)		
1. Notice of References Cited (PTO-892)	5. Notice of Informal Pa	atent Application
2. Notice of Draftperson's Patent Drawing Review (PTO-948)		,
Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date	7. Examiner's Amendm	ent/Comment
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛛 Examiner's Statemer	nt of Reasons for Allowance
PAUL DINH PRIMARY EXAMINER	9 Other	

Application/Control Number: 10/626,858 Page 2

Art Unit: 2825

DETAILED ACTION

EXAMINER'S AMENDMENT

- 1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.
- 2. Authorization for this examiner's amendment was given in a telephone interview with Michael E. Fogarty (Reg. #36,139) on 12/13/2006.

The application has been amended as follows:

In the claims

3. **In claim 1 line 4:** after "pattern", insert - -wherein said background areas do not contain any features to be imaged on said substrate- -

In claim 1 line 5: after "mask", insert - -using a sub-resolution grating block- -

In claim 1 line 7: after "mask", insert - -using a sub-resolution grating block- -

In claim 1 line 8: replace "said background area" with - -said background areas, wherein said non-resolvable horizontally oriented features and said non-resolvable vertically oriented features significantly reduce the negative effects of lens flare and improve dipole imaging performance- -

In claim 9 line 3: after "pattern", insert - -wherein said background areas do not contain any features to be imaged on said substrate- -

In claim 9 line 4: after "mask", insert - -using a sub-resolution grating block- -

In claim 9 line 6: after "mask", insert - -using a sub-resolution grating block- -

Application/Control Number: 10/626,858

Art Unit: 2825

In claim 9 line 7: replace "said background area" with - -said background areas, wherein said non-resolvable horizontally oriented features and said non-resolvable vertically oriented features significantly reduce the negative effects of lens flare and improve dipole imaging performance- -

In claim 19 line 3: after "pattern", insert - -wherein said background areas do not contain any features to be imaged on said substrate- -

In claim 19 line 4: after "mask", insert - -using a sub-resolution grating block- -

In claim 19 line 6: after "mask", insert - -using a sub-resolution grating block- -

In claim 19 line 7: replace "said background area" with - -said background areas, wherein said non-resolvable horizontally oriented features and said non-resolvable vertically oriented features significantly reduce the negative effects of lens flare and improve dipole imaging performance- -

In claim 25 line 6: after "pattern", insert - -wherein said background areas do not contain any features to be imaged on said substrate- -

In claim 25 line 7: after "mask", insert - -using a sub-resolution grating block - - In claim 25 line 9: after "mask", insert - -using a sub-resolution grating block - - In claim 25 line 10: replace "said background area" with - -said background areas, wherein said non-resolvable horizontally oriented features and said non-resolvable vertically oriented features significantly reduce the negative effects of

In claim 25 line 5: replace "comprising the steps of:" with - -, which when executed by the computer, perform the steps comprising- -

lens flare and improve dipole imaging performance- -

Application/Control Number: 10/626,858

Art Unit: 2825

Cancel claims 4, 12, 20 and 28

With respect to the cancellation of claims 4, 12, 20 and 28, the subject matter of these claims has been incorporated into claims 1, 9, 19 and 25 respectively. Therefore, claims 4, 12, 20 and 28 do not further limit the subject matter of their respective parent claims, and must be cancelled in order to place this application into a condition for allowance.

(This Examiner's amendment has been made in order to place the application in a condition for allowance)

Reasons For Allowance

4. The following is an examiner's statement of reasons for allowance:

Claims 1-3, 5-11, 13-19, 21-27 and 29-30 are allowed because the prior art made of record does not teach or suggest a method, computer program product, and apparatus for generating masks for printing a pattern having vertically oriented features and horizontally oriented features on a substrate utilizing dipole illumination as claimed in claim 1 and as similarly claimed in claims 9, 19 and 25, the method/program/apparatus having a combination of steps in claims 1, 9, 19 and 25 including:

identifying background areas contained in said pattern wherein said background areas do not contain any features to be imaged on said substrate;

generating a vertical component mask using a sub-resolution grating block comprising non-resolvable horizontally oriented features in said background areas; and generating a horizontal component mask using a sub-resolution grating block comprising non-resolvable vertically oriented features in said background areas;

Application/Control Number: 10/626,858 Page 5

Art Unit: 2825

wherein said non-resolvable features significantly reduce the negative effects of lens flare and improve dipole imaging performance.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Suchin Parihar whose telephone number is 571-272-6210. The examiner can normally be reached on Mon-Fri, 8:30am-5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jack Chiang can be reached on 571-272-7483. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

PAUL DINH PRIMARY EXAMINED Examiner AU 2825